

820 Thomas Street Crown
Point, IN 46307



Phone(219)663-7880
Fax(219)662-9096

	Smooth Normal Weight		Smooth Light Weight		Splitface with W/R Normal Weight	
	LB Per Block	# Per Cube	LB Per Block	# Per Cube	LB Per Block	# Per Cube
	Concrete Brick (2 ¼ x 4 x 8)	5	648	-	-	-
2 x 8 x 16 Solid	16.5	171	-	-	-	-
3 x 8 x 16 Solid	23	135	-	-	-	-
4 x 8 x 16 Regular	27	126	19	126	34	114
4 x 8 x 16 Solid	33	126	-	-	17.5	300
4 x 4 x 16 Solid Slug (Half High) -SF	17.5	150	-	-	17.5	300
4 x 8 x 8 Half	26	96	19	96	-	-
4 x 8 x 16 Bullnose (Double or Single)	14.5	300	-	300	-	-
4 x 8 x 16 Corner	13	-	-	-	-	-
4 x 8 x 8 Corner Half	-	-	-	-	28	-
4 x 8 x 16 Return Corner	-	-	-	-	-	-
6 x 8 x 16 Regular	32	96	26	96	-	-
6 x 8 x 16 Solid	53.2	69	-	-	-	-
6 x 8 x 16 Bullnose (Double or Single)	32.5	96	-	96	-	-
6 x 8 x 16 FHA	16	96	-	-	-	-
6 x 8 x 16 Bond Beam (Solid Bottom)	37.5	105	-	100	-	-
6 x 8 x 16 Bond Beam (Western)	-	105	-	-	-	-
6 x 8 x 16 Knockout	-	-	-	-	-	-

6 x 8 x 8 Half	15.5	180	-	150	-	-
6 x 8 x 8 Bullnose Half (Double or Single)	15.5	150	-	150	-	-
8 x 8 x 16 Regular	35	72	28	72	42	72
8 x 8 x 16 Solid	71	57	-	-	-	-
8 x 8 x 16 Pier/Jamb - 3 Hour	42	72	-	72	-	-
8 x 8 x 16 Bond Beam (Solid Bottom)	46	75	36	75	-	-
8 x 8 x 16 Bond Beam (Western)	34.5	69	27	69	-	-
8 x 8 x 16 FHA	51	57	-	-	-	-
8 x 8 x 16 76% Solid - 4 Hour	-	57	-	-	-	-
8 x 8 x 16 Knockout	43.5	90	-	-	-	-
8 x 8 x 16 Solid Header	52.5	60	-	-	-	-
8 x 8 x 16 Bullnose (Double or Single)	41.5	72	32	72	-	-
8 x 8 x 8 Half	21	150	17	150	23	120
8 x 8 x 8 Bullnose Half (Double or Single)	22	150	16	150	-	-
8 x 4 x 16 Half High	-	180	-	-	-	-
8 x 5 x 16 Starter	-	-	-	-	-	-
8 x 8 x 16 Corner	-	75	-	-	42.5	90
8 x 8 x 16 Corner Half	-	-	-	-	23	-
10 x 8 x 16 Regular	45	60	36	60	47.5	48
10 x 8 x 16 Pier/Jamb	50	60	-	60	-	-
10 x 8 x 16 Bond Beam (Solid Bottom)	51	60	-	60	-	-
10 x 8 x 16 Bond Beam (Western)	-	60	-	75	-	-
10 x 8 x 16 FHA	58	57	-	-	-	-
10 x 8 x 16 Knockout	-	-	-	-	-	-
10 x 8 x 16 Return Corner	42.5	60	-	60	-	-

10 x 8 x 16 Bullnose (Double or Single)	45	60	-	60	-	-
10 x 8 x 8 Half	24.5	100	20	100	24.5	-
10 x 8 x 8 Bullnose Half (Double or Single)	24.5	100	-	100	-	-
10 x 4 x 16 Half High	-	130	-	-	-	-
12 x 8 x 16 Regular	50.5	48	42	48	52	48
12 x 8 x 16 Pier/Jamb	56	48	-	48	-	-
12 x 8 x 16 Bond Beam (Solid Bottom)	69	45	54	60	-	-
12 x 8 x 16 Bond Beam (Western)	-	45	-	-	-	-
12 x 8 x 16 Knockout	-	48	-	-	-	-
12 x 8 x 16 Return Corner	44	60	-	60	-	-
12 x 8 x 16 Bullnose (Double or Single)	52.5	48	-	48	-	-
12 x 8 x 8 Half	30	90	23	90	27.25	-
12 x 4 x 16 Half High	-	100	-	-	-	-
14 x 8 x 16 Regular	-	-	-	-	-	-
2 ½ x 4 x 12 Splitrock	-	-	-	-	7.5	300
2 ½ x 4 x 12 Splitrock Corners	-	-	-	-	-	-
14 x 14 Chimney Block (For 8" Flue)	73	45	-	-	-	-
16 x 16 Chimney Block (For 8" Flue)	86	30	-	-	-	-

All sales are subject to 7% sales tax if delivered or picked up in the state of Indiana, unless a tax exempt certificate is presented.

All special order material is non-returnable, non-refundable & non-exchangeable.

Colored block can be manufactured upon request. Please contact a salesman for color options and pricing.

Set up charges for mold changes for special order block may apply.

Delivery charges may apply to less than full truckloads or loads over 50 miles from our facility.